Bluetooth Connected Health Devices

Body Fat Scales

BMI Health Assessment Scales

BMI Scales with Calorie Predictor and last weight tracking

Mother and Baby Scales

Kitchen Scales



SGS ISO 9001

SGS ISO 13485

SGS OHSAS 18001

SGS ISO 14001

IEC IECQ
IECQ QC080000 HSPM

OIML

III

FDA QSR

CMDCAS

CE

RoHS

Bluetooth Connected Health Devices

Body Fat Scales

BMI Health Assessment Scales

BMI Scales with Calorie Predictor and last weight tracking

Mother and Baby Scales

Kitchen Scales

Bluetooth SMART

# Product Collection
## 2017-2018

SCALEMAN

**Fook Tin Technologies Ltd.**
4/F., Eastern Ctr.,1065 King's Rd.,Quarry Bay, Hong Kong
Tel: (852) 2960-7288 (Operator), (852) 2960-7299 (Auto-answering)
Fax: (852) 2565-9672        E-mail:export@fooktin.com.hk
Since 1963

**Fook Tin Technologies Ltd.**
Since 1963

# Contents

## Company profile

Fook Tin Technologies Ltd. was founded by Mr. Man-Chung Chai in 1963. Under the management of the Chai family over the past decades, Fook Tin has expanded into a conglomerate of companies. The company specializes in the design, manufacturing, marketing and distributing quality electronic products. We provide our customers full-serviced manufacturing solutions from product design to consistent delivery under a cost effective and vertically integrated manufacturing system. Fook Tin's customer base is composed of clients from over 80 countries. Our flagship brands are Scaleman, Fukuda and PTi.

Apart from certifications like ISO 9001, ISO 14001, OHSAS 18001, ISO 13485 and IECQ QC 080000 HSPM, Fook Tin also deploys a series of quality management systems including:

- 5S
- Statistical Process Control
- 6 SIGMA
- Just-In-Time Manufacturing
- Total Productive Maintenance
- Total Quality Management

We commit to bringing our customer products that are latest in technology, the most practical in use, and the highest in quality. With competence and diversity, our development, production, quality team turns innovative ideas into reality.

Fook Tin is also a United States Food and Drug Administration (FDA) 21. CFR. Part 820 QSR.
We guarantee the production processes of weighing systems fulfill the criteria of measurement accuracy, transaction security and data traceability. Fook Tin's customer base is composed of clients from over 80 countries.

## Management system & compliance

Fook Tin's headquarters is located in Hong Kong, and is supported by multiple manufacturing plants under the Fook Tin Group, which spans across Europe and Mainland China. Fook Tin is equipped with advanced machineries to offer our customers integrated manufacturing solutions, and implements comprehensive quality control systems to maintain the highest quality standard. The company is certified in

- ISO 9001 Quality management systems
- ISO 13485 Quality management systems in Medical devices
- ISO 14001 Environmental management systems
- OHSAS 18001 Occupational Health and Safety
- IECQ HSPM QC 080000 Hazardous Substance Process Management standard

## OEM/ODM and OBM supplier

### Your reliable OEM/ODM partner

- To be the manufacturer of choice through excellence in design innovation. product reliability. and timely delivery.
- Operating under an integrated management system encompassing quality. environmental. occupational health and safety standards allows Fook Tin to deliver the highest value-added products and services to customers.
- Equipped with our vertically-integrated manufacturing and the-state-of-the-art facilities. Fook Tin commits to bring to our customers products that are latest in technology, the most practical in use, and the highest in quality. With competence and diversity, our development, production and quality team turns innovative ideas into reality.

# Development Capability

Fook Tin's professional and experienced engineers perform research and development tasks in order to sustain Fook Tin's leading position and provide high quality service to our valuable customers. Also, Fook Tin's professional services and production capability can guarantee that we meet customers requirements on their specific, unique products and to follow it through the production process. Fook Tin's development capability comprises of:

| Product Design | Mechanical Design | Software Design | PCB Design | Graphic Design |
|---|---|---|---|---|

Fook Tin commits to providing professional advices and services by closely working with customers to understand what they need.

# Production Capability

Fook Tin production plant is located in Shenzhen, China. We offer an integrated solution to our customers via a broad range of comprehensive manufacturing facilities, including:

| Oiml/ntep Class Load Cell Production | 100k Class Clean Room For Gauge Bonding | 100k Class Clean Room For Plastic Injection | Load Cell Climate Testing Machine | 60 Tons Compound Lever Standard Machine |
|---|---|---|---|---|
| Load Cell Production | Plasma Arc Welding Machine | Laser Welding Machine | Eccentric Load Testing Machine | |

# Quality Assurance

As an ISO9001 and ISO13485 certified company, we ensure on-going compliance and strict adherence to our quality standards. Independent internal audits are conducted rigorously and frequently. The achievement of goals is measured monthly to ascertain timely progress.

All products undergo an elaborate pilot run and product qualification process before they are released for mass production. Quality control is implemented at critical manufacturing control points to ensure that problems are identified and resolved promptly. Each batch of incoming materials is tested according to established standards.

Quality data is entered on a real-time basis into the Statistics Process Control System (SPCS), for data collection and analysis to ensure the conformability of quality objectives. The QC team can then coordinate with the specific production unit and the production engineering division to resolve any problems that arise. Similar to incoming and on-line QC processes, the outgoing QC of finished products adhere to the Military Standard 105E as customers' requirements.

| Life Test | Drop Test | Climate Test | Accuracy Test | Vibration Test | Hazardous Substance Test |
|---|---|---|---|---|---|
| Temperature Test | Linearity For Spring Test | Electrostatic Test | Statistics Process Control (SPC) | Salt Spray Test | |

# Awards

**2012**
Harmonious Labor Relations
Advanced Enterprises in Shenzhen, China

**2011**
- 5plus Caring Company
- Cleaner Production Enterprise Award in Shenzhen, China
- Proactive Enterprise in Pollution Control
- Guangdong-Hong Kong Cleaner Production Partnership
- Outstanding Enterprise on Waste Minimization in Shenzhen

**2010**
Top 10 Energy-saving Low Carbon Economy Enterprises in Shenzhen, China
"Shuang Ai" Enterprise Award in Shenzhen, China
Proactive Enterprise in Pollution Control

**2009**
- Guangdong-Hong Kong Cleaner Production Partnership
- Certified Innovative Enterprise, China
- Certified State High-tech Enterprise, Shenzhen, China
- Proactive Enterprise in Pollution Control
- Shenzhen 13 Industrial and Commercial Model Enterprise in Shenzhen, China
- Top 500 Rapid Growing SME in Shenzhen, China

**2006**
Consumer Product Design Award
Hong Kong Awards for Industries - Environmental Performance Grand Award
The Green Manufacturer Of The Year Of 1-1-1 Program of FHKI
IECQ QC080000 Hazardous Substances Process Management - World's First Certification

**2005**
- Certificate of Merit in Consumer Product Design
- Hong Kong Eco-Products Award - 2 Gold Awards

**2004**
Hong Kong Smoke Free Workplace Leading Company Awards - Grand Award
Certificate of Merit in Export Marketing

**2003**
- Certification of Merit in Quality Productivity Grand Award
- Hong Kong Awards For Industry - Environmental Performance Grand Award

**2002**
HKSTP Technological Achievement Award

**2000**
Certificate of Merit in Consumer Product Design

**1998**
Certificate of Merit in Consumer Product Design

# Connected Health Device



## Bluetooth 4.0 glass electronic bathroom scale

 **Bluetooth** *SMART*

**182** kg / 400 lb    **100** g / 0.2 lb

- Wireless (bluetooth4.0) communication between scale and iPhone, iPod touch, iPad;
- High precision strain gauge technology for body weight measurement
- Tempered glass painted platform
- Large white LED display
- Auto-on and auto-off function
- Over load/low battery indicator

Readout & size: LCD W83 x H45 mm
Product dimension: 330 x 310 x 30 mm
Power by: 2 X CR2032 (WERCS) lithium batteries (included)




YS-3090L4

---

## Bluetooth 4.0 body fat scales

 **Bluetooth** *SMART*

**182** kg / 28st8lb 400lb    **100** g / 0.2 lb 0.2 lb    **IMC BMI**

- Wireless (bluetooth4.0) communication between scale and iPhone, iPod touch, iPad;
- (BIA) technology for body fat, body water, bone mass and muscle mass estimation
- Body mass Index (BMI) calculation
- Large glass platform

Readout & size: LCD W90 x H50 mm
Product dimension: 330 x 310 x 30 mm
Power by: 4 X AAA alkaline batteries (not included)






FS-205L4


FS-209L4

---

## Bluetooth 4.0 mini glass electronic bathroom scale

 **Bluetooth** *SMART*

**150** kg / 330 lb    **100** g / 0.2 lb 0.2 lb

- Wireless (bluetooth4.0) communication between scale and iPhone, iPod touch, iPad;
- High precision strain gauge technology for body weight measurement
- Tempered glass painted platform
- Large LCD display
- Auto-on and auto-off function
- Over load/low battery indicator

Readout & size: LCD W73 x H28 mm
Product dimension: 230 X 135 x 20 mm
Power by: 2 X CR2032 (WERCS) lithium batteries (included)




XY-3078L4

# Bluetooth 4.0 bathroom scale


**Bluetooth** SMART

**182** kg | 28 st 8 lb | 400 lbs
**100** g | 0.2 lb | 0.2 lbs
**IMC BMI**

- Wireless (bluetooth 4.0) communication between scale and iPhone/iPod/iPad
- BMI calculation
- Classification of BMI for adults (19 to 99 years of age) according to four categories: underweight, normal, overweight and obese
- Large glass platform

Readout & size: LCD W80 x H40 mm
Product dimension: 330 x 310 x 19 mm
Power by: 4 X AA (LR6) alkaline batteries (not included)

## LCD display



| Weight | Bmi & classification of bmi for adults | Calorie prediction |

FS-222L4

LED flash when 75% memory is used

## Smart App

Easy to set up from a smartphone or tablet with bluetooth-enabled device. No PC to set up or WIFI network is required



Personalized your weight profile. The user name will display on both scale and the App.

FS-220L4

FS-221L4

---

# Bluetooth 4.0 electronic flat weighing scale


**Bluetooth** SMART

**200** kg | 31 st 6 lb | 440 lbs
**100** g | 0.2 lb | 0.2 lbs

- Wireless (bluetooth 4.0) communication between scale and iPhone/iPod/iPad
- Platform with extra large mat surface
- Simple weighing function
- With LCD backlight display

Readout & size: LCD W73 x H28 mm
Product dimension: 433 x 370 x 34.5 mm
Power by: 4 X 1.5V AAA (RL03) batteries (not included)

FS-632SLEL4



Thermal printer
FA-632PR

---

# Bluetooth 4.0 electronic baby scale


**Bluetooth** SMART

**15** kg | 33 lbs
**10** g | 1/2 oz

- Wireless (bluetooth 4.0) communication between scale and iPhone/iPod/iPad
- High precision strain gauge technology for weight measurement
- With extra large platform
- Simple weighing function

Readout & size: LCD W73 x H28 mm
Product dimension: 597 x 350 x 74 mm
Power by: 2 X AAA alkaline batteries (not included)

FS-193L4

# Body Fat Scale

## Glass body fat scale

182 kg | 100 g

### With body water, bone mass and muscle mass estimations

- Bioelectrical impedance analysis (BIA) technology for body fat, body water, bone mass and muscle mass estimation
- High precision strain gauge technology for body weight measurement
- Calorie predictor feature
- Body mass Index (BMI) calculation
- Athlete/normal mode selection
- 10-user memories
- Temper glass painted platform
- Large LCD display
- 4-touch button operation

Readout & size: LCD W83 x H45 mm
Product dimension: 300 x 300 x 26 mm
Power by: 2 X CR2032 (WERCS) lithium batteries (included)

**YS-6069D5**

### LCD display

| Body fat & Body water & weight | Bone mass, muscle mass & calories prediction | BMI |

## Glass body fat scale

400 kg | 100 g

### CS1381 — 8k FDA

- Estimates body fat & body water bone mass, muscle mass percentage to 0.1% graduation
- Calorie intake estimations
- BMI
- Auto recognition
- Memory recall function
- Memory for 12 users, athlete mode option
- 2 color silk print
- 4 touch buttons operation

Readout & size: LCD W83 x H45 mm
Product dimension: 300 x 300 x 26 mm
Power by: 2 X CR2032 (WERCS) lithium batteries (included)

*New*

**YS-6069C1**

182 kg | 100 g

### With body water, bone mass and muscle mass estimations

- Bioelectrical impedance analysis (BIA) technology for body fat, body water, bone mass and muscle mass estimation
- High precision strain gauge technology for body weight measurement
- Athlete/normal mode selection
- 10-user memories
- Tempered glass painted platform
- Large LCD display
- 4-touch button operation

Readout & size: LCD W83 x H45 mm
Product dimension: 300 x 300 x 26 mm
Power by: 2 X CR2032 (WERCS) lithium batteries (included)

**YS-6069D3**

### LCD display

| Weight | Body fat | Body water | Muscle mass | Bone mass | Calorie prediction |

# Glass body fat scale



### With body water, bone mass and muscle mass estimations

- Bioelectrical impedance analysis (BIA) technology for body fat, body water, bone mass and muscle mass estimation
- High precise strain gauge technology for body weight measurement
- Temper glass painted platform
- Calorie predictor feature
- Body mass index (BMI) calculation
- 10-user memories/auto-on and auto-off functions
- Low battery indicator/4-button operation

Readout & size: LCD W73 x H35 mm
Product dimension: 265 x 215 x 30 mm
Power by: 4 X AAA batteries (not included)


YS-6071

# Modern printing design glass body fat scale



### With body water, bone mass and muscle mass estimations

- Bioelectrical impedance analysis (BIA) technology for body fat, body water, bone mass and muscle mass estimation
- High precise strain gauge technology for body weight measurement
- 6mm temper glass painted platform
- Calorie predictor feature
- Body mass index (BMI) calculation
- 10-user memories/auto-on and auto-off functions
- Low battery indicator/4-touch button operation

Readout & size: LCD W77 x H40 mm
Product dimension: 300 x 300 x 26 mm
Power by: 2 X CR2032 (WERCS) lithium batteries (included)


YS-6069-A


YS-6069-B


YS-6069-C

# Bamboo electronic body fat scale



### With body water estimation

- Bamboo design with environment friendly
- Bamboo combination design allow platform with high tenacity in weighing
- Water resistant bamboo surface
- Bioelectrical impedance analysis (BIA) technology for body fat and body water estimation
- High precision strain gauge technology for weight measurement
- 4-user memories
- Slim design
- Plantation grown for sustainability
- Auto-on and auto-off functions
- Low battery indicator
- Body fat and body water graduation: 0.1%
- Age range: 10 - 99 years
- Height range: 100 - 220cm
- Body fat range: 4 to 50% ('E' version); 5 to 50% ('A' version)

Readout & size: LCD W80 X H40 mm
Product dimension: 300 x 300 x 20 mm
Power by: 2 X CR2032 (WERCS) lithium batteries (included)


YS-6061(2C)-A


YS-6061(2C)-B


YS-6061(1C)-B

# Electronic body fat scale

| 180kg / 440 lb | 100g / 0.2 lb | | | | | | IMC BMI |

## With body water, bone mass and muscle mass estimations

- Bioelectrical impedance analysis (BIA) technology for body fat and body water, bone mass and muscle mass estimation
- High precision strain gauge technology for weight measurement
- Athlete/normal mode selection
- 4 user memories
- Large LCD display
- 2 line display

Readout & size: LCD W98 x H74 mm
Product dimension: 240x 220 x 28 mm
Power by: 4 X AAA batteries (included)

### LCD display



| Weight & Body fat | Weight & Body water | Weight & Muscle mass | Weight & Bone mass |

**YS-6095D3**

| 180kg / 440 lb | 100g / 0.2 lb | | | | | | IMC BMI |

## With body water, bone mass and muscle mass estimation

- Bioelectrical impedance analysis (BIA) technology for body fat and body water, bone mass and muscle mass estimation
- High precision strain gauge technology for weight measurement
- Calorie predictor feature
- Body mass index (BMI) calculation
- Athlete/normal mode selection
- 4 user memories
- Large LCD display
- 3 line display

Readout & size: LCD W98 x H74 mm
Product dimension: 240x 220 x 28 mm
Power by: 4 X AAA batteries (included)

### LCD display



| Weight & Body fat | Weight & Body water | Weight & Muscle mass | Weight & Bone mass |

**YS-6095D5**

# Body fat scale

| 150kg / 23st 8lb 330lb | 100g / 1 4 lb 0.2 lb | | | | | | IMC BMI |

## With body water estimation

- Bioelectrical impedance analysis (BIA) technology for body fat, body water, estimation
- High precise strain gauge technology for body weight measurement
- Body fat and body water level indicator
- Normal and athlete mode selection
- 4-user memories/4-button operation
- Auto-on and auto-off functions/low battery indicator
- Fast recall function/memory clear function

Readout & size: W75 X H35 mm
Product dimension: 292 × 280 × 42 mm
Power by: 1 X 9V (6LR61) alkaline battery (not included)

**FS-165K**

| 160kg / 25st 2lb 352lb | 100g / 1 lb 0.2 lb | | | | | | IMC BMI |

## With bone mass and muscle mass estimation

- Bioelectrical impedance analysis (BIA) technology for body fat, body water, estimation
- High precise strain gauge technology for body weight measurement
- Body fat and body water level indicator
- Normal and athlete mode selection
- 4-user memories/3-button operation
- Auto-on and auto-off functions/low battery indicator
- Single information readout
- Fast recall function
- Memory clear function

Readout & size: LCD W77 × H34 mm
Product dimension: 346 × 312 × 52 mm
Power by: 1 X 9V (6LR61) alkaline battery (not included)

**FS-131BW1**

# Bathroom Scales

## Glass electronic bathroom scale

**182** kg / **400** lb   **100** g / **0.2** lb

### Anti-slip dot

- Large LCD display
- 6mm tempered glass platform
- Auto on
- Auto-off function
- Over load/low battery indication

Readout & size: LCD W74 x H38 mm
Product dimension: 300 x 300 x 20 mm
Power by: 1 X CR2032 (WERCS) lithium battery (included)

*New*

WS-3035-3

**182** kg / **400** lb   **100** g / **0.2** lb

### Anti-slip dot

- Large LCD display
- 6mm tempered glass platform
- Auto on
- Auto-off function
- Over load/low battery indication

Readout & size: LCD W74 x H38 mm
Product dimension: 300 x 300 x 20 mm
Power by: 1 X CR2032 (WERCS) lithium battery (included)

*New*

WS-3035-1

# Glass electronic bathroom scale

180kg / 400 lb  |  100g / 0.2 lb

## With blue color stainless steel platform

- Color stainless steel platform, with finger print-proof coating
- 6mm tempered glass platform
- Auto on
- Auto-off function
- Over load/low battery indication

Readout & size: LCD W74 x H38 mm
Product dimension: 300 x 300 x 20 mm
Power by: 1 X CR2032 (WERCS) lithium battery (included)

*New*

WS-228-B

180kg / 400 lb  |  100g / 0.2 lb

## With red color stainless steel platform

- Color stainless steel platform, with finger print-proof coating
- 6mm tempered glass platform
- Auto on
- Auto-off function
- Over load/low battery indication

Readout & size: LCD W74 x H38 mm
Product dimension: 300 x 300 x 20 mm
Power by: 1 X CR2032 (WERCS) lithium battery (included)

*New*

WS-228-B

---

# Health risk assessment scale

182kg / 28st8lb / 400lb  |  100g / 0.2 lb / 0.2 lb  |  4  |  IMC BMI  |  WAIST TAPE

## 2c silk print

- With BMI calculation with color index for classification of BMI in five categories: under, normal, over, obesity and extreme
- Disease risk level indicator (for type 2 diabetes, hypertension and cardiovascular disease)
- 4-user memories
- User recognition
- 3-button operation
- Auto-on and auto-off function
- Overload indicator
- Low battery indicator

Readout & size: LCD W78 x H42 mm
Product dimension: 300 x 300 x 20 mm
Power by: 2 X CR2032 (WERCS) lithium batteries (included)

*New*

YS-3067HR

182kg / 28st8lb / 400lb  |  100g / 0.2 lb / 0.2 lb  |  4  |  IMC BMI  |  WAIST TAPE

## Color change LCD

- With BMI calculation with color index for classification of BMI in five categories: under, normal, over, obesity and extreme
- Disease risk level indicator (for type 2 diabetes, hypertension and cardiovascular disease)
- 4-user memories
- User recognition
- 3-button operation
- Auto-on and auto-off function
- Overload indicator
- Low battery indicator

Readout & size: LCD W78 x H42 mm
Product dimension: 300 x 300 x 20 mm
Power by: 2 X CR2032 (WERCS) lithium batteries (included)

*New*

YS-3067HR-C

measuring tape 0-150cm

Color change LCD

HEALTH INDEX

BMI INDEX

BMI WAIST

# Glass electronic bathroom scale

180 kg / 400 lb | 100 g / 0.2 lb

## With color blue led backlight display

- High precision strain gauge technology for body weight measurement
- 6mm temper glass painted platform
- Large LCD display with blue backlight
- Auto-on function

Readout & size: LCD W83 x H43 mm
Product dimension: 300 x 300 x 20 mm
Power by: 2 X CR2032 (WERCS) lithium batteries (included)

YS-3092AP

Master weighs herself, and then weighs herself with pet in hands, and scales give her the weight of pet only

Master weight / Pet weight

YS-3092AM

Mother weighs herself, and then weighs herself with baby in hands,  and scales give her the weight of baby only

Mother weight / Baby weight

# Glass electronic bathroom scale

180 kg / 400 lb | 100 g / 0.2 lb

## With stainless steel platform

- 4-sensors, high precise strain gauge technology for body weight measurement
- 6mm temper stainless steel platform
- Auto-on functions

Readout & size: LCD W83 X H45 mm
Product dimension: 300 x 300 x 20 mm
Power by: 2 X CR2032 (WERCS) lithium batteries (included)

FS-234

## With colored stainless steel platform

- High precision strain gauge technology for body weight measurement
- 6mm temper glass painted platform with colored stainless steel
- Large LCD display
- Auto-on function

Readout & size: LCD W83 X H45 mm
Product dimension: 300 x 300 x 20 mm
Power by: 2 X CR2032 (WERCS) lithium batteries (included)

YS-3092APS

## With colored stainless steel strap

- High precision strain gauge technology for body weight measurement
- 6mm temper glass painted platform with colored stainless steel strap
- Large LCD display
- Auto-on function

Readout & size: LCD W83 X H45 mm
Product dimension: 300 x 300 x 20 mm
Power by: 2 X CR2032 (WERCS) lithium batteries (included)

YS-3092ASS

# Glass electronic bathroom scale

182 kg / 400 lb  |  100 g / 0.2 lb

## With weight and calories estimation

- High precision strain gauge technology for body weight measurement
- 6mm temper glass painted platform
- Calorie predictor feature
- With last weight tracking function
- 4-user memories
- 4-touch button operation
- Large LCD display

Readout & size: LCD W83 X H45 mm
Product dimension: 300 x 300 x 20 mm
Power by: 2 X CR2032 (WERCS) lithium batteries (included)

### LCD display

P3 508  ⇒  P3 2495

Weight                    Calorie prediction

YS-3069C

182 kg / 400 lb  |  100 g / 0.2 lb

## With weight tracking function

- High precision strain gauge technology for body weight measurement
- 6mm temper glass painted platform
- With 2 users weight tracking function (no button needed)
- Large blue LCD display
- Auto-on function

Readout & size: LCD W83 X H45 mm
Product dimension: 300 x 300 x 20 mm
Power by: 2 X CR2032 (WERCS) lithium batteries (included)

### LCD display

1148 ⇒ Id-1 ⇒ 1148 (Last weight)

Weight        User number      Previous saved weight

1088 ⇐ 6.0 (Difference)

Current weight      Weight difference

YS-3092AT

# Bamboo electronic bathroom scale

180 kg / 400 lb  |  100 g / 0.2 lb

## Frosted pattern

- Large LCD display
- Auto-on function
- Over load/low battery indication

Readout & size: LCD W80 X H42 mm
Product dimension: 300 x 300 x 20 mm
Power by: 1 X CR2032 (WERCS) lithium battery (included)

YS-3092AF-A

YS-3092AF-B

250 kg / 550 lb  |  100 g / 0.2 lb

## With large capacity 550lb

- High precision strain gauge technology for body weight measurement
- 8mm temper glass painted platform
- Large LCD display
- Auto-on function

Readout & size: LCD W94 x H56 mm
Product dimension: 380 x 330 x 28 mm
Power by: 3 X AAA batteries (included)

CAPACITY
250kg/550lb

YS-3089B

# Glass electronic bathroom scale

180 kg | 28 st 8 lb | 400 lb
100 g | 0.2 lb | 1 lb

## With color blue LED backlight display

- 4-sensors, high precise strain gauge technology for body weight measurement
- 6mm temper glass painted platform in blue/green/red
- Large blue backlight LCD display
- Auto-on and auto-off functions
- Overload indicator
- Low battery indicator

Readout & size: LCD W80 X H43 mm
Product dimension: 300 x 300 x 20 mm
Power by: 2 X CR2032 (WERCS) lithium batteries (included)

**YS-3092A-B**

180 kg | 28 st 8 lb | 400 lb
100 g | 0.2 lb | 0.2 lb

- 4-sensors, high precise strain gauge technology for body weight measurement
- 6mm temper glass painted platform
- Auto-on and auto-off functions
- Overload indicator
- Low battery indicator

Readout & size: LCD W73 X H28 mm
Product dimension: 290 x 280 x 20 mm
Power by: 1 X CR2032 (WERCS) lithium battery (included)

**YS-3037A**

180 kg | 28 st 8 lb | 400 lb
100 g | 0.2 lb | 0.2 lb

## With memory function

- 4-sensors, high precise strain gauge technology for body weight measurement
- 6mm temper glass painted platform
- 2-user memories
- Auto-on and auto-off functions
- Overload indicator
- Low battery indicator

Readout & size: LCD W83 X H45 mm
Product dimension: 300 x 300 x 20 mm
Power by: 2 X CR2032 (WERCS) lithium batteries (included)

**YS-3092A**

# Solar power glass bathroom scale

182 kg | 28 st 8 lb | 400 lb
100 g | 0.2 lb | 1/4 lb

- Bamboo design with environment friendly
- Bamboo combination design allow platform with high tenacity in weighing
- Water resistant bamboo surface
- High precision strain gauge technology for weight measurement
- Slim design
- Plantation grown for sustainability
- Auto-on and auto-off functions
- Low battery indicator

Readout & size: LCD W76 x H37 mm
Product dimension: 310 x 300 x 24 mm
Power by: 1 X CR2032 (WERCS) lithium battery (included)

**YS-B3169(2C)-A**

**YS-B3169(2C)-B**

**YS-B3169(1C)-B**

# Modern printing design glass electronic bathroom scale

**180** kg  28·8 lb / 400 lbs
**100** g  0.2 lb / 0.2 lb

## Heat transfer

- 6mm temper glass painted platform
- Plastic housing in molded color
- Heat transfer graphic on the glass
- Auto-on and auto-off functions
- Overload indicator
- Low battery indicator

Readout & size: LCD W78 X H40 mm
Product dimension: 300 x 300 x 25 mm
Power by: 2 X CR2032 (WERCS) lithium batteries (included)

WS-3032-A

WS-3032-B

WS-3032-C

# Glass electronic bathroom scale

**200** kg  28·8 lb / 440 lbs
**100** g  0.2 lb / 0.2 lb

- 4-sensors, high precise strain gauge technology for body weight measurement
- 6mm temper glass painted platform
- Auto-on and auto-off functions
- Overload indicator
- Low battery indicator
- Blue LED display

Readout & size: LCD W82 X H43 mm
Product dimension: 300 x 300 x 25 mm
Power by: 3 X AAA batteries (included)

YS-3063-B
with blue LED display

YS-3063-R
with red LED display

# Mini glass electronic bathroom scale

**160** kg  25 st / 350 lbs
**100** g  0.2 lb / ¼ lb

## With expandable display

- High precision strain gauge technology for weight measurement
- Mini and environment-friendly design
- Simple weighing function
- Auto-on and auto-off functions
- Overload indicator
- Low battery indicator

Readout & size: LCD W60 X H26 mm
Product dimension: 230 x 130 x 21 mm
Power by: 2 X CR2032 (WERCS) lithium batteries (included)

BS-SR191T

# Electronic bathroom scale

**180** kg | **100** g
23 st 8 lb / 330 lb | 0.2 lb / ¼ lb

## With durable plastic platform and metal base

- 4-sensors, high precise strain gauge technology for Body weight measurement
- 15mm natural bamboo platform
- Auto-on and auto-off functions
- Overload indicator
- Low battery indicato

Readout & size: LCD W82 X H45 mm
Product dimension: 310 x 300 x 32 mm
Power by: 1 X CR2032 (WERCS) lithium battery (included)

FS-165SL

**160** kg | **100** g
25 st 2 lb / 352 lb | 0.2 lb / ¼ lb

## With durable plastic platform and metal base

- High precise strain gauge technology for body weight measurement
- Ergonomic platform
- Auto-on and auto-off functions
- Low battery indicator
- Power saving LCD readout

Readout & size: LCD W75 x H35 mm
Product dimension: 298 × 286 × 39 mm
Power by: 1 X CR2032 (WERCS) lithium battery (included)

FS-190SL

# Kitchen Scale

# Glass electronic kitchen scale

**7** kg | **15** kg
1 lb | 0.1 oz

*New*

## Timer + Thermometer

- Temperature probe
- Maximum temperature 300°C
- Timer 99:59
- "Beep" alarm
- Standard LCD with no backlight
- 4 Touch buttons
- Tare function
- Auto-off function
- Over load/low battery indication

Readout & size: LCD W62 X H43 mm
Product dimension: 218 × 170 × 20mm
Power by: 2 X 3V CR2032 (WERCS) lithium batteries (included)

FS-260

**7** kg / **1** lb  **15** kg / **0.1** oz

## Timer + Thermometer

- Timer 99:59
- "Beep" alarm
- Standard LCD with no backlight
- 4 Touch buttons
- Tare function
- Auto-off function
- Over load/low battery indication

Readout & size: LCD W62 X H43 mm
Product dimension: 218 × 170 × 20mm
Power by: 2 X 3V CR2032 (WERCS) lithium batteries (included)

*New*

FS-261

---

**5** kg / **1** lb  **11** g / **0.1** oz

## Weighting + Timer

- Timer 99:59
- "Beep" alarm
- Reverse LCD with white backlight
- 4 Touch buttons
- Tare function
- Toggle display weighing & timer
- Auto-off function
- Over load/low battery indication

Readout & size: LCD W58 x H24 mm
Product dimension: 153 x 233 x 18 mm
Power by: 2 X 3V CR2032 (WERCS) lithium batteries (included)

*New*

FS-262

---

**5** kg / **1** lb  **11** g / **0.1** oz

## Timer + Thermometer

- Count down timer
- Room temperature display
- Touch buttons to use
- Tare function
- Auto-off function
- Over load/low battery indication

Readout & size: LCD W62 x H28 mm
Product dimension: 218 × 118 x 18 mm
Power by: 1 x CR2032 (WERCS) lithium battery (included)

*New*

WS-656-C20

---

**5** kg / **1** g  **11** kg / **0.1** oz

## 4 foods calories value checking

- 4 Food code buttons for calories value checking (beef, chocolate, butter, cheese)
- With blue backlight display
- Touch buttons to use
- Tare function
- Auto-off function
- Over load/low battery indication

Readout & size: LCD W62 X H43 mm
Product dimension: 218 × 118 x 18 mm
Power by: 1 x CR2032 (WERCS) lithium battery (included)

*New*

WS-1001

---

IP67  **5** kg / **1** g

## Water Proof Safe

- SUS304 stainless steel platform
- 4mm tempered glass platform
- Blue backlight
- Design for IP67 waterproof grade
- 2 Touch buttons
- Tare function
- Auto-off function
- Over load/low battery indication

Readout & size: LCD W49 X H19 mm
Product dimension: 210 x 167 x 15 mm
Power by: 2 x 3V CR2032 (WERCS) lithium batteries (included)

*New*

YS-8065SS

---

**5** kg / **1** lb  **1** g / **1/8** oz

## With date, clock and temperature function

- 4-sensors, high precise strain gauge technology for weight measurement
- Temper glass painted platform
- 2-LCD display
- 3-button operation for display of date and time on large LCD
- Date, clock and temperature function
- Tare function/auto-off function
- Over load/low battery indication
- Touch sensor operation for weighing

Readout & size: LCD with blue backlight W51 x H23 mm
                (for weighing display)
                LCD W95 x H62 mm
Product dimension: 224 x 149 x 16 mm
Power by: 3 x AAA batteries (included)

BS-SK83

# Glass electronic kitchen scale

**5 kg / 1 g**

## Frosted pattern

- Reverse LCD with white backlight
- 2 Touch buttons
- Tare function
- Auto-off function
- Over load/low battery Indication

Readout & size: LCD W58 X H24 mm
Product dimension: 153 x 233 x 18 mm
Power by: 2 X 3V CR2032 (WERCS) lithium batteries (included)

YS-8017F-A

**5 kg / 1 g**

## Frosted pattern

- Large LCD display
- 2 Touch buttons
- Tare function
- Auto-off function
- Over load/low battery indication

Readout & size: LCD W58 X H24 mm
Product dimension: 153 x 233 x 18 mm
Power by: 2 X 3V CR2032 (WERCS) lithium batteries (included)

YS-8017F-B

**5 kg / 1 lb**   **1 g / 1/8 oz**

- 4-sensors, high precise strain gauge technology for weight measurement
- 4mm temper glass painted platform
- Single touch-sensor button
- Tare function
- Auto-on and auto-off function
- Over load/low battery indicator
- 2-way conversion unit switchable kg/lb

Readout & size: LCD W50 x H20 mm
Product dimension: 230 x 165 x 20 mm
Power by: AAA batteries 2 pcs (not included)

FS-189U1

# Electronic nutrition control scale

**5 kg / 1 g**   **176.4 fl. 11lb:0.4 oz / 0.1 oz**   **5000 ml / 1 ml**

- 4-sensors, high precise strain gauge technology for weight measurement
- Nutritional items: 999 food codes (USDA national nutrient database)
- 7 nutritional data: calories, sodium, protein, fat, carbohydrate, cholesterol & fiber
- Large LCD display
- 4mm temper glass painted platform
- Tare function
- Auto-off functions
- Over load/low battery indicator
- Touch sensor operation

Readout & size: LCD W48 x H18 mm
Product dimension: Ø 185 x 17 mm
Power by: 4 x AAA batteries (included)

YS-5001

# Modern printing design glass electronic kitchen scale

**5** kg / **1** lb    **1** g / **0.1** oz

### Heat transfer

- Touch buttons to use
- Heat transfer graphic
- Water & milk volume measurement
- Tare function
- Auto-off functions
- Over load/low battery indication

Readout & size: LCD W40 x H18 mm
Product dimension: 195 x 141 x 14 mm
Power by: 1 x CR2032 (WERCS) lithium battery (included)

WS-603-1

WS-603-3

WS-603-2

**5** kg / **1** g

### With blue backlight display

- 4-sensors, high precise strain gauge technology for weight measurement
- 4mm temper glass painted platform
- Tare function
- Auto-off functions
- Over load/low battery indicator
- 2-Touch buttons operation

Readout & size: W58 X H24 mm
Product dimension: 153 x 233 x 18 mm
Power by: 2 X 3V CR2032 (WERCS) lithium batteries (included)

YS-8017SLE

# Glass electronic kitchen scale

**5** kg / **1** g

### With blue LED display

- 4-sensors, high precise strain gauge technology for weight measurement
- 4mm temper glass painted platform
- Tare function
- Auto-off functions
- Over load/low battery indicator
- 2-button operation

Readout & size: blue LED display 21mm digit tall
Product dimension: 160 x 230 x 23 mm
Power by: 2 X 3V CR2032 (WERCS) lithium batteries (included)

YS-8007SE-B

**5** kg / **1** g

- 4-sensors, high precise strain gauge technology for weight measurement
- 4mm temper glass painted platform
- Tare function
- Auto-off functions
- Over load/low battery indicator
- 2-Touch buttons operation

Readout & size: W48 x H18 mm
Product dimension: 164 x 204 x 14 mm
Power by: 1 X 3V CR2032 (WERCS) lithium battery (included)

YS-8018SL

**5** kg / **1** g

- 4-sensors, high precise strain gauge technology for weight measurement
- 4mm temper glass painted platform
- Tare function
- Auto-off functions
- Over load/low battery indicator
- 2-Touch buttons operation

Readout & size: W48 x H18 mm
Product dimension: Ø 185 x 17 mm
Power by: 1 X 3V CR2032 (WERCS) lithium battery (included)

YS-8033SL

# Bamboo electronic kitchen scale

**5 kg / 1 g**

- High precise strain gauge technology for weight measurement
- Natural bamboo platform
- Tare function
- Over load/low battery indication
- 2-Touch sensor buttons operation

Readout & size: LCD W48 x H18 mm
Product dimension: Ø 185 x 17 mm
Power by: 2 X 3V CR2032 (WERCS) lithium batteries (included)

**YS-8025SL**

**5 kg / 11 lb — 1 g / 1/8 oz**

- 4-sensors, high precise strain gauge technology for weight measurement
- Natural bamboo platform
- Single button operation
- Tare function
- Auto-on and auto off function
- Over load/low battery indicator
- 2-way conversion unit switchable kg/lb

Readout & size: LCD W50 x H20 mm
Product dimension: 230 x 165 x 20 mm
Power by: 2 X 3V CR2032 (WERCS) lithium batteries (included)

**FS-204**

**5 kg / 11 lb — 1 g / 1/8 oz**

- Bamboo platform
- Extra slim design
- Easy storage
- High precision strain gauge technology for weight measurement
- Simple weighing function
- Tare (add-on) function
- Auto-on and auto off function
- Low battery indicator

Readout & size: LCD W48 x H18 mm
Product dimension: 164 x 204 x 20 mm
Power by: 1 X 3V CR2032 (WERCS) lithium battery (included)

**YS-8018-1**

**YS-8018-2**

# Plastic electronic kitchen scale

**5 kg / 11 lb — 1 g / 1/8 oz**

- 4-sensors, high precise strain gauge technology for weight measurement
- Single button operation
- Tare function
- Auto-on and auto-off function
- Over load/low battery indicator
- 2-way conversion unit switchable kg/lb

Readout & size: LCD W50 x H20 mm
Product dimension: 230 x 165 x 20 mm
Power by: 2 X 3V CR2032 (WERCS) lithium batteries (included)

**FS-196U1-5**

Weights immediately when
food place on scale.

**5 kg / 11 lb — 1 g / 1/8 oz**

- 4-sensors, high precise strain gauge technology for weight measurement
- Single button operation
- Tare function
- Auto-on and auto-off function
- Over load/low battery indicator
- 2-way conversion unit switchable kg/lb

Readout & size: LCD W50 x H20 mm
Product dimension: 225 x 155 x 20 mm
Power by: 2 X 3V CR2032 (WERCS) lithium batteries (included)

**FS-197U1-5**

**5 kg / 11 lb — 1 g / 1/8 oz**

- 4-sensors, high precise strain gauge technology for weight measurement
- Single button operation
- Tare function
- Auto-on and auto-off function
- Over load/low battery indicator
- 2-way conversion unit switchable kg/lb

Readout & size: LCD W50 x H20 mm
Product dimension: 230 x 165 x 20 mm
Power by: 2 X 3V CR2032 (WERCS) lithium batteries (included)

**FS-195U1-5**

## Mechanical kitchen scale

| 500 g | 5 g |
|-------|-----|
| 160 oz | 1/4 oz |

- Removable bowl
- Easy to read bold numerals
- Scale fits inside bowl for compact storage

Platform Size: (with bowl) 118 x 178 x 88.7mm
Bowl 118 x 73 x 88.7 mm

FS-252

| 2 g | 20 g |
|-----|------|
| 4 lb 6 oz | 1 oz |

- Removable (1000ml) bowl
- Clear indication of weight

Platform Size: 160 × 120 × 123 mm

FS-025-2

| 3 g | 25 g |
|-----|------|
| 6 lb 10oz | 1 oz |

- Removable (2500ml) bowl with handle and spout
- Easy to read numerals
- Add and weigh feature
- Easy to use add and weigh mechanical tare feature
- Rotating dial for quick reset
- Scale fits inside bowl for compact storage

Platform Size: ⌀ 215 × 74 mm

FS-911

## Spoon scale

| 300 g |
|-------|
| 0.1 g |

- ABS food safety materials
- Handle with hole for hanging
- Detachable and interchangeable scoops
- Auto-off function
- Low battery indicator

Readout & size: LCD W33 x H13 mm
Product dimension: 237 x 54 x 26 mm
Power by: 1 x CR2032 lithium battery (included)

BS-SK63